

SWEN 383 Software Design Principles & Patterns The Proxy Pattern







Basic Proxy







Joe and Mary want to sign a contract.

Joe is in Canada.

Mary is in Argentina.










Joe asks Sandy to be a *proxy* for Mary.

Mary asks Pedro to be a *proxy* for Joe.









Joe "agrees with" Sandy as Mary's stand-in.

Mary "agrees with" Pedro as Joe's stand-in.









Joe "agrees with" Sandy as Mary's stand-in.

Mary "agrees with" Pedro as Joe's stand-in.









Joe and Mary now have a legal contract.




Health-care proxy



Joe needs to make health care decisions for his mother Jane's surgery.


The had a previous agreement through a Health-care proxy









Basic Proxy





Proxy vs. Adapter








Proxy vs. Adapter

How are proxies and adapters similar?









Proxy vs. Adapter

How are proxies and adapters different?






Virtual Proxy







Virtual Proxy


































A(proxy)






Protection Proxy










Protection Proxy





Protection Proxy

How could a Protection Proxy be used to control access to the object <<interface>> SubjectInterface representing a blog article? + action1() + action2() Restricted **ProtectionProxy** RealSubject **Privileged** Client Client real_subj :RealSubject + action1() + action1() real_subj.action1() + action2() + action2() throw PrivilegeException(...)

